

WE SUPPORT EVERY ONE

like they're the only one



INDICATIONS & IMPORTANT SAFETY INFORMATION FOR SOLIRIS® (eculizumab)

INDICATIONS

What is SOLIRIS?

SOLIRIS is a prescription medicine used to treat:

- people with paroxysmal nocturnal hemoglobinuria (PNH).
- people with atypical hemolytic uremic syndrome (aHUS).
SOLIRIS is not for use in treating people with Shiga toxin E. coli related hemolytic uremic syndrome (STEC-HUS).
- people 6 years of age and older with generalized myasthenia gravis (gMG) who are anti-acetylcholine receptor (AChR) antibody positive.
- adults with a disease called neuromyelitis optica spectrum disorder (NMOSD) who are anti-aquaporin-4 (AQP4) antibody positive.

It is not known if SOLIRIS is safe and effective in children with PNH or NMOSD.

It is not known if SOLIRIS is safe and effective in children with gMG below 6 years of age.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about SOLIRIS?

SOLIRIS is a medicine that affects your immune system and may lower the ability of your immune system to fight infections.

- **SOLIRIS increases your chance of getting serious meningococcal infections that may quickly become life-threatening or cause death if not recognized and treated early.**

1. You must complete or update your meningococcal vaccine(s) at least 2 weeks before your first dose of SOLIRIS.
2. If you have not been vaccinated and SOLIRIS must be started right away, you should receive the required vaccine(s) as soon as possible.

3. If you have not been vaccinated and SOLIRIS must be started right away, you should also receive antibiotics for as long as your healthcare provider tells you.
4. If you had a meningococcal vaccine in the past, you might need additional vaccines before starting SOLIRIS. Your healthcare provider will decide if you need additional meningococcal vaccines.
5. Meningococcal vaccines do not prevent all meningococcal infections. **Call your healthcare provider or get emergency medical care right away if you get any of these signs and symptoms of a serious meningococcal infection:** fever, fever with high heart rate, headache and fever, confusion, muscle aches with flu-like symptoms, fever and rash, headache with nausea or vomiting, headache with a stiff neck or stiff back, or eyes sensitive to light.



Please see additional Important Safety Information throughout and scan QR code or visit www.soliris.net/PI to see accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious meningococcal infections.

AT ONESOURCE™

we're by your side

Use this brochure to familiarize yourself with all the ways OneSource can provide support throughout your treatment journey as you get started with SOLIRIS® (eculizumab)

HERE'S WHAT YOU CAN FIND INSIDE:

Getting to Know OneSource	3
OneSource Support Services	4
Meet Your OneSource Team	5
Financial Assistance & Access Support	6
Vaccination Support	7
Getting Started	8
How OneSource Works With Your Healthcare Team	9
Frequently Asked Questions	10



ADD ONESOURCE TO YOUR SMARTPHONE CONTACTS

1. Go to your camera on your mobile device.
2. Scan the QR code on the right.
3. The OneSource number, 1.888.765.4747, will be automatically added to your contact list so you'll recognize the caller.



GETTING TO KNOW ONESOURCE

OneSource is a free, personalized patient support program offered by Alexion. Whether you're newly diagnosed or have had your condition for years, our specialists will be by your side. We can help you make sense of your health insurance coverage, answer questions about your treatment with SOLIRIS, and connect you to community resources.

We're committed to helping you start and stay on track with your prescribed treatment.

WE SEE HOW EACH PATIENT'S NEEDS ARE UNIQUE, AND WE'RE HERE TO HELP WITH YOURS.



SELECT IMPORTANT SAFETY INFORMATION

Your healthcare provider will give you a Patient Safety Card about the risk of serious meningococcal infection. Carry it with you at all times during treatment and for 3 months after your last dose of SOLIRIS. Your risk of meningococcal infection may continue for several weeks after your last dose of SOLIRIS. It is important to show this card to any healthcare provider who treats you. This will help them diagnose and treat you quickly.

SOLIRIS is only available through a program called the ULTOMIRIS and SOLIRIS Risk Evaluation and Mitigation Strategy (REMS). Before you can receive SOLIRIS, your healthcare provider must: enroll in the REMS program; counsel you about the risk of serious meningococcal infections; give you information about the signs and symptoms of serious meningococcal infection; make sure that you are vaccinated against serious infections caused by meningococcal bacteria, and that you receive antibiotics if you need to start SOLIRIS right away and you are not up to date on your vaccines; give you a **Patient Safety Card** about your risk of meningococcal infection.



Please see additional Important Safety Information throughout and scan QR code or visit www.soliris.net/PI to see accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious meningococcal infections.

ONESOURCE™ SUPPORT SERVICES

With our experience and resources, we're here to help you feel supported every step of the way. Here's an overview of the services we offer.



Education

When you have questions about your condition or treatment with SOLIRIS® (eculizumab), we'll work to find the answers. Our team of specialists can provide you with:

- Educational materials about your condition
- Details about SOLIRIS
- Information about the treatment process



Health Insurance Navigation

Health insurance can be complicated. We're here to help make sense of it all.

Our team of specialists can help by:

- Providing information that explains your insurance coverage for SOLIRIS
- Addressing financial concerns or gaps in coverage
- Informing you of nearby infusion centers or home infusion providers, based on your insurance plan



Community Connections

With OneSource by your side, you'll never have to go it alone. Connect with others in the rare disease community who understand your experience. We can share information about:

- In-person and online meetings and events specific to your condition
- Support and resources
- Advocacy groups
- A peer-to-peer program called **Peer Connects**



Ongoing Support

When life takes a turn, OneSource is ready to keep you on track. Our team can help:

- Guide you through insurance changes, transitioning to another Alexion medicine, or finding new treatment locations
- Navigate your treatment through life events, such as getting married, starting a new job, moving, or traveling
- Work with your healthcare provider and specialty pharmacy to ensure you keep receiving your medicine as prescribed

MEET YOUR ONESOURCE TEAM

Our team of skilled professionals is here to help you along your treatment journey.



OneSource Support Specialist (OSS)

Throughout treatment, your OSS can help by:

- Providing information about your condition and your Alexion treatment
- Letting you know about upcoming community events
- Helping you avoid interruptions in your Alexion treatment during insurance changes, travel plans, or other life events
- Helping you understand your insurance benefits and alert you if any action is needed to start treatment



Patient Education Manager (PEM)

Understanding your disease is important. Your local PEM will:

- Host local patient educational initiatives
- Conduct treatment education sessions for patients
- Provide site-of-care disease or treatment education and support in a one-to-one or group setting

**FIND MORE
INFORMATION
ABOUT COPAY
SUPPORT ON
PAGE 6**

SELECT IMPORTANT SAFETY INFORMATION

SOLIRIS may also increase the risk of other types of serious infections, including *Streptococcus pneumoniae*, *Haemophilus influenzae*, and *Neisseria gonorrhoeae*. Your child should receive vaccines against *Streptococcus pneumoniae* and *Haemophilus influenzae* type b (Hib) if treated with SOLIRIS. Certain people may be at risk of serious infections with gonorrhea. Certain fungal infections (*Aspergillus*) may occur if you take SOLIRIS and have a weak immune system or a low white blood cell count.

Who should not receive SOLIRIS?

Do not receive SOLIRIS if you have a serious meningococcal infection when you are starting SOLIRIS.



Please see additional Important Safety Information throughout and scan QR code or visit www.soliris.net/PI to see accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious meningococcal infections.

MORE WAYS TO COUNT ON ONESOURCE™

Here are some additional services we provide to help support you with SOLIRIS® (eculizumab).



Financial Assistance

No matter what kind of insurance you have, we can provide information about resources available that may be able to help cover the costs for SOLIRIS.



Learn about the Alexion OneSource CoPay Program

You can pay **\$0** for SOLIRIS® (eculizumab) if you have commercial insurance*

To be eligible, you must:

- ✓ Be signed up for patient services through OneSource
- ✓ Have commercial insurance
- ✓ Be prescribed SOLIRIS for an FDA-approved indication
- ✓ Reside in the United States or its territories



Not Eligible for the Alexion OneSource CoPay program?

If you have Medicare, Medicaid, or another federal- or state-funded insurance plan, we can connect you to third-party resources that may be able to help with financial assistance.

Talk to your healthcare provider or OneSource team for more information about financial assistance.

*Please refer to the full CoPay Terms and Conditions at www.AlexionOneSource.com/allpay for additional eligibility requirements.



Stay on top of your vaccinations with OneSource

If you have been prescribed meningococcal vaccinations by your healthcare provider before starting treatment with a complement inhibitor, **OneSource may be able to help by offering*:**

- ✓ Support with locating a vaccination site
- ✓ Information on internal or external resources that may be available to cover vaccination costs
- ✓ Resources to help you keep track of your vaccinations
- ✓ A safety card about your meningococcal infection risk to carry with you and share with any doctor or nurse who treats you
- ✓ Helpful questions to ask your healthcare provider

*To be eligible, you must be signed up for patient services through OneSource and be currently prescribed a complement inhibitor therapy or be a potential candidate to start therapy with a complement inhibitor in the future. You must also be prescribed vaccinations by your healthcare provider.

Talk to your healthcare provider or OneSource team for more information about vaccination support.



Check out AlexionOneSource.com for any future program additions or updates.

SELECT IMPORTANT SAFETY INFORMATION

Before you receive SOLIRIS, tell your healthcare provider about all of your medical conditions, including if you: have an infection or fever, are pregnant or plan to become pregnant, and are breastfeeding or plan to breastfeed. It is not known if SOLIRIS will harm your unborn baby or if it passes into your breast milk.

SELECT IMPORTANT SAFETY INFORMATION

Tell your healthcare provider about all the vaccines you receive and medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements which could affect your treatment.



Please see additional Important Safety Information throughout and scan QR code or visit www.soliris.net/PI to see accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious meningococcal infections.

GETTING STARTED

You don't have to be enrolled in OneSource™ to get information—simply call 1-888-765-4747 to ask questions. If English is not your preferred language, we will connect with you through one of our interpreters to make sure you get the support you need.

Ready to enroll in the program for personalized support from OneSource? You can access the form in 3 ways:



AlexionOneSource.com



Your healthcare provider's office



By calling 1.888.765.4747

Your healthcare provider will fill out their section of the form, which includes your prescription for SOLIRIS® (eculizumab).

NEXT STEPS

- 1 Once the form has been submitted, OneSource will reach out to you and your healthcare provider's office to confirm we have all the information we need.
- 2 Then OneSource will review your benefits, including out-of-pocket costs and plan options, and provide information on financial assistance.
- 3 Your healthcare provider will seek prior authorization from your insurance (if applicable) and place the order for SOLIRIS.
- 4 You will receive your SOLIRIS treatment and OneSource will reach out to you with ongoing support.

SELECT IMPORTANT SAFETY INFORMATION

If you have PNH, your healthcare provider will need to monitor you closely for at least 8 weeks after stopping SOLIRIS. Stopping treatment with SOLIRIS may cause breakdown of your red blood cells due to PNH. Symptoms or problems that can happen due to red blood cell breakdown include: drop in the number of your red blood cell count, drop in your platelet count, confusion, kidney problems, blood clots, difficulty breathing, and chest pain.

HOW ONESOURCE WORKS WITH YOUR HEALTHCARE TEAM

After you make a treatment plan with your healthcare provider, OneSource is here to provide personalized support along the way.

✓ Support with insurance coverage and access to treatment

We're here to help if you or your healthcare provider needs information on insurance options, vaccination support, or assistance with finding an infusion center or home infusion provider that's included in your plan. We can also provide information on available programs that may be able to help with out-of-pocket costs.

✓ Help avoiding interruptions in treatment

Life happens. That's why we're here to work with your healthcare provider to help you stay on track with treatment while traveling, moving, changing insurance, or experiencing other life events.

✓ Ongoing support throughout treatment

OneSource is by your side throughout your treatment journey. We're available to answer any questions that you or your healthcare provider may have about treatment logistics and will help make sure you keep receiving your medicine as prescribed.

Information from OneSource is not intended to replace the medical advice of your healthcare provider. If you have questions about your specific treatment plan, please reach out to your healthcare provider.

SELECT IMPORTANT SAFETY INFORMATION

If you have aHUS, your healthcare provider will need to monitor you closely during and for at least 12 weeks after stopping SOLIRIS for signs of worsening aHUS symptoms or problems related to abnormal clotting (thrombotic microangiopathy). Symptoms or problems that can happen with abnormal clotting may include: stroke, confusion, seizure, chest pain (angina), difficulty breathing, kidney problems, swelling in arms or legs, and a drop in your platelet count.



Please see additional Important Safety Information throughout and scan QR code or visit www.soliris.net/PI to see accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious meningococcal infections.

FREQUENTLY ASKED QUESTIONS

When you have questions, we're here to help find the answers.

Q If I'm not enrolled in OneSource™, can they still help answer my questions?

Yes. OneSource is available to answer questions and provide you with educational materials related to your condition or treatment with SOLIRIS® (eculizumab). Some services, such as contacting your healthcare provider or navigating your health insurance coverage, may require enrolling in the program.

Q I've just been diagnosed. How can I learn more about my condition?

Our team is specially trained on your condition. Call us and we can provide you with educational materials and other useful resources. Remember, information from our specialists does not replace the medical advice of your doctor.

Q Is there local support in my area that I can contact for more information?

Yes. A Patient Education Manager (PEM) is available to meet with you virtually or in person to help you learn about local educational sessions and events. Visit AlexionOneSource.com to find a PEM nearby.

Q Can I talk to other patients about their experience?

Yes. We can connect you with patients who are experiencing a similar healthcare journey through our phone-based **Peer Connects** program. We also have patient events and other initiatives where you can connect with the greater community. Call OneSource or visit AlexionOneSource.com for more information.

SELECT IMPORTANT SAFETY INFORMATION

What are the possible side effects of SOLIRIS?

SOLIRIS can cause serious side effects including serious infusion-related reactions. Tell your healthcare provider or nurse right away if you get any of these symptoms during your SOLIRIS infusion: chest pain, trouble breathing or shortness of breath, swelling of your face, tongue, or throat, and feel faint or pass out. If you have an infusion-related reaction to SOLIRIS, your healthcare provider may need to infuse SOLIRIS more slowly, or stop SOLIRIS.

Q What happens if my insurance or situation changes?

Your OneSource team can help you avoid interruptions in treatment when you experience changes in insurance coverage or treatment locations. We can also help when you experience other life events such as moving or starting a new job. Call us and we will work with you and your healthcare provider so that the transition goes smoothly.

Q What will my out-of-pocket costs be?

OneSource can help you understand your insurance coverage and estimated out-of-pocket costs for your Alexion treatment. We can also provide information about options for accessing treatment regardless of your insurance coverage.

Q Does OneSource provide any financial assistance?

The Alexion OneSource CoPay Program may help cover some out-of-pocket treatment costs for eligible patients. If you have Medicare, Medicaid, or another federal- or state-funded insurance plan or if you don't qualify for the CoPay Program, we can connect you to third-party resources that may be able to help with financial assistance. To learn more, call us or visit AlexionOneSource.com.

Q What's next after submitting the form?

OneSource will give you a call within a few business days. Meanwhile, if you have any questions, don't hesitate to call us at 1.888.765.4747.

SELECT IMPORTANT SAFETY INFORMATION

The most common side effects in people with PNH treated with SOLIRIS include:

headache, pain or swelling of your nose or throat (nasopharyngitis), back pain, and nausea.

The most common side effects in people with aHUS treated with SOLIRIS include:

headache, diarrhea, high blood pressure (hypertension), common cold (upper respiratory infection), stomach-area (abdominal) pain, vomiting, pain or swelling of your nose or throat (nasopharyngitis), low red blood cell count (anemia), cough, swelling of legs or feet (peripheral edema), nausea, urinary tract infections, and fever.

The most common side effects in people with gMG treated with SOLIRIS include:

muscle and joint (musculoskeletal) pain.



Please see additional Important Safety Information throughout and scan QR code or visit www.soliris.net/PI to see accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious meningococcal infections.

AT ONESOURCE™

we're by your side

Whether you've just been diagnosed or have had your condition for years, we have information and resources to help you navigate life with a rare disease. OneSource is a free patient support program offered by Alexion designed to support your specific needs throughout treatment.

GET IN TOUCH



PHONE: 1.888.765.4747
8:30 AM to 8 PM ET Monday-Friday



EMAIL: OneSource@Alexion.com



WEBSITE: AlexionOneSource.com

SELECT IMPORTANT SAFETY INFORMATION

The most common side effects in people with NMOSD treated with SOLIRIS include:

common cold (upper respiratory infection), pain or swelling of your nose or throat (nasopharyngitis), diarrhea, back pain, dizziness, flu like symptoms (influenza) including fever, headache, tiredness, cough, sore throat, and body aches, joint pain (arthralgia), throat irritation (pharyngitis), and bruising (contusion).

Tell your healthcare provider about any side effect that bothers you or that does not go away. These are not all the possible side effects of SOLIRIS. For more information, ask your healthcare provider or pharmacist. Call your healthcare provider for medical advice about side effects. You may report side effects to FDA at [1-800-FDA-1088](https://www.fda.gov/medwatch).

Please see additional Important Safety Information throughout and scan QR code or visit www.soliris.net/PI to see accompanying full Prescribing Information and Medication Guide for SOLIRIS, including Boxed WARNING regarding serious meningococcal infections.



This material is intended only for residents of the United States.

ALEXION, SOLIRIS, ULTOMIRIS, and the OneSource logo are registered trademarks and OneSource is a trademark of Alexion Pharmaceuticals, Inc.

© 2025, Alexion Pharmaceuticals, Inc. All rights reserved. US/ALL/0388 V5 10/2025